

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Weehawken Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	19	31	0	0	19	30
AIDS-CD4 Only	#	#	#	#	21	33
HIV Only	#	#	#	#	23	37
-----	-----	---	-----	---	-----	---
Total	62	100	#	#	63	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	17	27	0	0	17	27
5-12	#	#	Black, Not Hispanic	12	19	0	0	12	19
13-19	0	0	Hispanic	#	#	#	#	33	52
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	14	22	-----	-----	---	-----	---	-----	---
40-49	34	54	Total	62	100	#	#	63	100
50+	13	21							
Unk.	0	0							
-----	-----	---							
Total	63	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	30	64	0	0	30	48
Injection drug user (IDU)	#	#	#	#	8	13
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	7	15	5	33	12	19
-----	-----	---	-----	---	-----	---
Total	47	100	15	100	62	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Weehawken Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	39	(38)	28 (80)	0	(.)	0 (.)	39	(38)
Other OI w/o PCP	27	(26)	20 (77)	0	(.)	0 (.)	27	(26)
KS Alone	8	(8)	7 (88)	0	(.)	0 (.)	8	(8)
No Disease Listed	28	(27)	7 (32)	0	(.)	0 (.)	28	(27)
Total	102	(100)	62 (68)	0	(.)	0 (.)	102	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	41	40	0	.	41	40
5-12	0	0	Black, Not Hispanic	13	13	0	.	13	13
13-19	0	0	Hispanic	46	45	0	.	46	45
20-29	14	14	Other/Unknown	#	#	0	.	#	#
30-39	48	47	-----	-----	---	-----	---	-----	---
40-49	30	29	Total	102	100	0	.	102	100
Over 49	10	10							
Unknown	0	0							
Total	102	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	59	65	0	0	59	58
Injection drug user (IDU)	#	#	#	#	#	#
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	5	5	6	55	11	11
Risk not reported/other***	#	#	#	#	7	7
Total	91	100	11	100	102	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Weehawken Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	5	5	100%
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	5	5	100%
1990	12	9	75%
1991	9	8	89%
1992	13	9	69%
1993	8	6	75%
1994	8	#	#
1995	6	#	#
1996	8	#	#
1997	#	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
-----	-----	-----	-----
Total	102	62	61%